



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT
FOR THE CONTROL OF SCLEROTINIA ROT IN
BEETROOT, CHICORY, ENDIVE, RADISH, SILVERBEET AND SPINACH AND
SUPPRESSION OF POWDERY MILDEW IN CARROTS**

PERMIT NUMBER – PER82461

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 16 AUGUST 2017 TO 31 AUGUST 2020.

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 8, 1 Chifley Square
SYDNEY, NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

FOLICUR 430 SC FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 430 g/L TEBUCONAZOLE as their only active constituent.

BUZZ ULTRA 750 WG FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 750 g/kg TEBUCONAZOLE as their only active constituent.

RALLIS TEBUCONAZOLE 800 WG FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 800 g/kg TEBUCONAZOLE as their only active constituent.

Directions for Use:

Crops	Plant Disease	Rate
BEETROOT, BEETROOT LEAVES, CHICORY, ENDIVE, RADISH, SILVERBEET AND SPINACH	SCLEROTINIA ROT (<i>Sclerotinia</i> species)	<p><u>430 g/L TEBUCONAZOLE products:</u> Apply 350 mL/ha</p> <p><u>750 g/kg TEBUCONAZOLE products:</u> Apply 200 g/ha</p> <p><u>800 g/kg TEBUCONAZOLE products:</u> Apply 187 g/ha</p>
CARROTS (<i>Daucus carota</i>)	POWDERY MILDEW (<i>Erysiphe heraclei</i>) SUPPRESSION ONLY	<p><u>430 g/L TEBUCONAZOLE products:</u> Apply 580 mL product/ha</p> <p><u>750 g/kg TEBUCONAZOLE products:</u> Apply 332 g/ha</p> <p><u>800 g/kg TEBUCONAZOLE products:</u> Apply 311 g/ha</p>

Critical Use Comments:

Beetroot, chicory, endive, radish, silverbeet and spinach

- Apply by boom spray or similar equipment during the early stages of plant development.
- Ensure thorough coverage of all foliage. Increasing water (spray) volume in accordance with crop growth.
- DO NOT apply more than two (2) applications per crop with a retreatment interval 7 to 10 days.
- DO NOT use in protected cropping situations or hydroponically grown crops.

Carrots

- Tebuconazole only provides useful suppression of powdery mildew.
- Apply at the first sign of disease ensuring good coverage of all leaf surfaces in 400 -600 L water per hectare. Use the higher water volume in dense or mature crops.
- DO NOT apply more than three (3) applications per crop with 14 - 21 day intervals between successive spray treatments.
- Apply using ground based application equipment only.

Withholding Periods (and restrictions):

Beetroot, chicory, endive, radish, silverbeet and spinach

DO NOT harvest crops for 35 DAYS after the final application

DO NOT use on crops grown for stock feed.

DO NOT harvest chicory roots for consumption.

Carrots

DO NOT harvest for 21 DAYS after application.

Jurisdiction:

Beetroot, chicory, endive, radish, silverbeet and spinach

ACT, NSW, QLD, SA, TAS, NT and WA only.

Note: Victoria is not included in this permit because their *Control-of-Use* legislation means that a permit is not required to legalise this off-label use in this state.

Carrots

NSW, SA and TAS only.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

To avoid crop damage:

The sensitivity of all species and varieties of crops to be treated with tebuconazole under this permit has not been fully evaluated under all growing conditions. It is advisable to only treat a small area of the crop and closely monitor plant health. Discontinue applications when any adverse symptoms post-treatment are observed.

Export of treated crops:

To allow treated produce to be supplied or otherwise made available for consumption, the following temporary MRLs have been established:

Tebuconazole	mg/kg
Beetroot leaves	T2
Beetroot	T0.3
Chard [Silverbeet]	T2
Chicory	T2
Endive	T2
Radish	T0.3
Radish leaves	T2
Spinach	T2
Carrot	T0.5

These TMRLs apply only to produce marketed and consumed in Australia. Where tebuconazole treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries, and that any residues must not exceed those requirements of the importing country.

Issued by Australian Pesticides and Veterinary Medicines Authority