



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**FOR THE CONTROL OF SILVERLEAF WHITEFLY IN
BROCCOLI, BRUSSELS SPROUTS, CABBAGE AND CAULIFLOWER**

PERMIT NUMBER – PER84261

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 11 OCTOBER 2017 TO 31 OCTOBER 2020.

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

ADMIRAL INSECT GROWTH REGULATOR
PLUS OTHER REGISTERED PRODUCTS

Containing: 100 g/L PYRIPROXYFEN as their only active constituent.

Directions for Use:

Crops	Pest	Rate
Broccoli Brussels sprouts Cabbage and Cauliflower	Silverleaf whitefly (<i>Bemisia tabaci</i> , all biotypes)	500 mL/ha <i>Apply in 100-150 L water per ha. Use high water vol 500 – 1000 L/ha for dense crops. If applying >1000 L/ha use a rate of 50 mL/100L water restricting the application rate to 500mL product per ha.</i>

Critical Use Comments:

- Apply as foliar spray by boom sprayer or equivalent ground rig only.
- DO NOT apply more than two sprays per crop.
- If a second spray is required, keep at least a 2 week interval between the first and second pyriproxyfen spray.
- Apply to young crops but no later than 6 weeks after planting.
- Apply in accordance with SLWF Resistance Management Strategy.
- To avoid resistance build up, pyriproxyfen should be rotated with products of a different mode of action as approved or permitted.

Withholding Period:

Harvest: DO NOT harvest for 7 DAYS after application.

Jurisdiction:

NSW, QLD and NT only.

Additional Conditions:

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

TO AVOID CROP DAMAGE:

The sensitivity of some species and varieties of the crops to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Export of produce:

To allow treated produce to be supplied or otherwise made available for human consumption Temporary Maximum Residue Limits (TMRL) have been established for pyriproxyfen in Brassica vegetables at 0.7 mg/kg. The TMRL applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should therefore be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority