



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF TWO-SPOTTED MITE IN SWEET CORNP**

PERMIT NUMBER – PER88170

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 18 FEBRUARY 2021 TO 29 FEBRUARY 2024

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

PARAMITE SELECTIVE MITICIDE (APVMA No. 56791)

PLUS OTHER REGISTERED PRODUCTS

Containing: 110 g/L ETOXAZOLE as the only active constituent.

RESTRAINT:

DO NOT apply if rainfall is expected before spray has dried.

DO NOT apply more than one spray per season as over-use may lead to development of mite resistance.

Comply with all Spray Drift Restraints and Mandatory Spray Zones for cotton on the product label.

Directions for Use:

Crop	Pest	Rate
Sweet Corn	Two-spotted Mite (<i>Tetranychus urticae</i>)	350 mL/ha

Critical Use Comments:

- Apply as foliar spray before mite numbers reach economically damaging levels.
- Ensure thorough coverage of all plant surfaces.
- Apply using fixed-wing aircraft or ground boom spray or similar equipment.
- Ground application: apply in at least 100 L/ha.
- Aerial application: apply in at least 30 L/ha.
- DO NOT apply more than one (1) application per season.
- Comply with spray drift restraints on the product label. Use medium spray quality or larger according to the ASAE S572 definition of nozzles.
- Prior to use of etoxazole under this permit and other chemical control options, the presence of beneficial predators of mites and the impact of chemical control methods should be considered as part of a broader pest management program.
- Paramite Selective Miticide is a mite growth regulator that causes adults to lay sterile eggs and stops existing eggs and nymphs developing. Paramite Selective Miticide is not effective as an adulticide treatment, and where large numbers of adults are present, it is recommended that a miticide from a different mode of action (MoA) group be used to control adults immediately.

Insecticide Resistance Management

If additional mite control is required, use a registered miticide that has a different mode of action. For miticides that have the same mode of action, DO NOT use consecutive applications within and between seasons. When using insecticides/miticides to control other pests of the host crop, consider the chemical group and the potential impact it may have on resistance development of mite pests.

Withholding Period:

Harvest: Do not harvest for 21 days after application.

Grazing: Do not graze or cut for stock food for 21 days after application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Export of treated produce

Maximum Residue Limits (MRLs) or Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and/or animal consumption. An MRL has been established for ETOXAZOLE in SWEET CORN (KERNELS), SWEET CORN FODDER and SWEET CORN FORAGE. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority