



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF GRASS WEEDS IN GREEN BEANS**

**PERMIT NUMBER – PER91492**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 13 JANUARY 2022 TO 31 JANUARY 2025**

**Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LTD  
Level 7, 141 Walker Street  
NORTH SYDNEY NSW 2060

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

ARYSTA SELECT XTRA HERBICIDE (APVMA No. 65513)

PLUS OTHER REGISTERED PRODUCTS

Containing: 360 g/L CLETHODIM as the only active constituent.

STATUS HERBICIDE (APVMA NO. 61778)

PLUS OTHER REGISTERED PRODUCTS

Containing: 240 g/L CLETHODIM as the only active constituent.

### RESTRAINTS:

DO NOT apply without the addition of an adjuvant.

DO NOT apply to plants that are stressed by moisture or temperature extremes.

DO NOT apply if rain is expected within one hour of application.

DO NOT apply more than one application per crop

DO NOT apply if wind is likely to cause drift onto susceptible crops/plants, cropping lands or pastures.

### Directions for Use:

Crop	Pest	Rate
Green beans	Annual grasses as per registered product label  2-5 leaf stage	<p><b>240 g/L clethodim products:</b> 250 - 375 mL/ha Plus crop oil (at label rates)</p> <p><b>360 g/L clethodim products:</b> 165 – 250 mL/ha Plus crop oil (at label rates)</p>
	Annual grasses as per registered product label  5-leaf to fully tillered	<p><b>240 g/L clethodim products:</b> 375 - 500 mL/ha Plus crop oil (at label rates)</p> <p><b>360 g/L clethodim products:</b> 250 - 330 mL/ha Plus crop oil (at label rates)</p>

### Critical Use Comments:

- Apply at post-emergence of grass weeds when weeds are at least 2-leaf to fully tillered stages.
- Apply a maximum of one (1) foliar spray treatment per crop using calibrated boom sprayer or similar equipment.
- Apply in a minimum volume of 50 L water per hectare. Use 150 L water per hectare when spraying dense grass weed infestations.
- Always apply with D-C-TRATE at 2 L/100 L or HASTEN at 1 L/100 L or UPTAKE at 500 mL/100 L spray volume.

**Withholding Period:**

Harvest: DO NOT harvest crops for 28 DAYS after application.

Grazing: DO NOT graze or cut for stock food for 28 DAYS after application.

**Jurisdiction:**

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

**Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

*Export of treated produce*

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and animal consumption. A TMRL has been established for Sethoxydim in Beans, except broad bean and soya bean and in Legume animal feeds (except Peanut fodder and Peanut forage (green)). MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority