



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF SCLEROTINIA ROT IN PEPPERS AND CELERIAC**

PERMIT NUMBER – PER14353

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 JULY 2014 TO 31 MARCH 2027

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

ROVRAL LIQUID FUNGICIDE (APVMA No. 30462)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L IPRADIONE as the only active constituent.

ROVRAL AQUAFLO FUNGICIDE (APVMA No. 45725)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L IPRADIONE as the only active constituent.

Directions for Use:

Crop	Disease	Rate	
<p>Peppers Including Capsicum, Chillies and Paprika (field and protected cropping)</p>	<p>Sclerotinia rot (<i>Sclerotinia sclerotiorum</i>)</p>	<p><u>250 g/L products</u> 1-2 L/ha where spray volume is less than 1000 L/ha OR 100-200 mL/100 L where spray volume exceeds 1000 L/ha</p>	<p><u>500 g/L products</u> 0.5-1 L/ha where spray volume is less than 1000 L/ha OR 50-100 mL/100 L where spray volume exceeds 1000 L/ha</p>
<p>Celeriac (field cropping only)</p>	<p>Sclerotinia rot (<i>Sclerotinia sclerotiorum</i>)</p>	<p><u>250 g/L products</u> 2 L/ha where spray volume is less than 1000 L/ha OR 150-200 mL/100 L where spray volume exceeds 1000 L/ha</p>	<p><u>500 g/L products</u> 1 L/ha where spray volume is less than 1000 L/ha OR 75-100 mL/100 L where spray volume exceeds 1000 L/ha</p>

Critical Use Comments:

- Apply as a foliar spray as soon as conditions favour disease development.
- Apply using boomspray, knapsack, handgun or equivalent.
- Apply in sufficient water volume to achieve thorough coverage of all foliage.
- Use the higher rate when disease pressure is severe.

Peppers:

- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 14 days after the initial treatment.

Celeriac:

- DO NOT apply more than 3 applications per crop.
- DO NOT apply less than 14 days after the last treatment.

Withholding Period:

Peppers: Do not harvest for 7 days after application.

Celeriac: Do not harvest for 1 day after application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Resistance Management

Iprodione is a Group 2 (Dicarboximide) fungicide. Group 2 also includes procymidone. Iprodione has a moderate to high risk of resistance developing. In order to minimise the likelihood of development of fungicide resistance, and where alternatives are available, rotate to use products with as many different modes of action as possible. Refer to information on Resistance Management on product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Export of treated produce

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. MRLs have been established for IPRODIONE in CELERIAC and PEPPERS respectively. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: Permit amended to update holder details. Permit version 3 issued 30 April 2018.

Note: 10/12/2021 – Permit expiry extended to 31/03/2027. Permit issued as version 4.